

(1) **EC-TYPE EXAMINATION CERTIFICATE**

(2) Equipment or protective system intended for use in potentially explosive atmospheres - Directive 94/9/EC

(3) EC-Type Examination Certificate Number: **KEMA 04ATEX1024 X**

(4) Equipment or protective system: **Temperature Transmitter Models R88000 and T88000**

(5) Manufacturer: **S-Products b.v.**

(6) Address: **Nijverheidscentrum 26, 2761 JP Zevenhuizen, The Netherlands**

(7) This equipment or protective system and any acceptable variation thereto is specified in the schedule to this certificate and the documents therein referred to.

(8) KEMA Quality B.V., notified body number 0344 in accordance with Article 9 of the Council Directive 94/9/EC of 23 March 1994, certifies that this equipment or protective system has been found to comply with the Essential Health and Safety Requirements relating to the design and construction of equipment and protective systems intended for use in potentially explosive atmospheres given in Annex II to the directive.

The examination and test results are recorded in confidential report no. 2061014.

(9) Compliance with the Essential Health and Safety Requirements has been assured by compliance with:

EN 50014 : 1997

EN 50020 : 2002

EN 50284 : 1999

(10) If the sign "X" is placed after the certificate number, it indicates that the equipment or protective system is subject to special conditions for safe use specified in the schedule to this certificate.


(11) This EC-Type Examination Certificate relates only to the design, examination and tests of the specified equipment or protective system according to the Directive 94/9/EC. Further requirements of the directive apply to the manufacturing process and supply of this equipment or protective system. These are not covered by this certificate.

(12) The marking of the equipment or protective system shall include the following:



II 1 G EEx ia IIB T4

Arnhem, 25 February 2004
KEMA Quality B.V.



C.G. van Es
Certification Manager

© This Certificate may only be reproduced in its entirety and without any change

SCHEDULE

(13)

(14)

to EC-Type Examination Certificate KEMA 04ATEX1024 X

(15) **Description**

The temperature transmitters Model R88000 and T88000 convert the measurement signal of a Pt100 or a thermocouple element into a 4 - 20 mA current signal.

Ambient temperature range -20 °C...+80 °C.

Electrical data

Supply circuit..... in type of explosion protection intrinsic safety EEx ia IIB,
(terminals KL1.A-, KL1.B+) only for connection to a certified intrinsically safe circuit,
with the following maximum values:

$$\begin{aligned} U_i &= 30 \text{ V} \\ I_i &= 100 \text{ mA} \\ P_i &= 750 \text{ mW} \\ L_i &= 100 \text{ } \mu\text{H} \\ C_i &= 67 \text{ nF} \end{aligned}$$

Input circuit..... in type of explosion protection intrinsic safety EEx ia IIB,
(terminals KL2.A,B,C) with the following maximum values:

$$\begin{aligned} U_o &= 30 \text{ V} \\ I_o &= 100 \text{ mA} \\ P_o &= 750 \text{ mW} \\ L_o &= 14 \text{ mH} \\ C_o &= 490 \text{ nF} \end{aligned}$$

Installation instructions

The Temperature Transmitter shall be mounted in an enclosure providing a degree of ingress protection of at least IP20 per EN 60529.

This enclosure shall be in conformance with Clauses 4.3 and 4.4 of EN 50284, when the Temperature Transmitter is mounted in an area where the use of category 1 G apparatus is required.

This enclosure shall be in conformance with Clauses 7.3 and 8.1 of EN 50014, when the Temperature Transmitter is mounted in an area where the use of category 2 G apparatus is required.

(16) **Report**

KEMA No. 2061014.

(17) **Special conditions for safe use**

For electrical data and temperature data see (15).

(18) **Essential Health and Safety Requirements**

Covered by the standards listed at (9).

SCHEDULE

(13)

(14)

to EC-Type Examination Certificate KEMA 04ATEX1024 X(19) **Test documentation**

	<u>dated</u>
1. Description (7 pages)	18.12.2003
2. Drawing No. RT88000_C.utsch	16.12.2003
RT88000_B (4 sheets)	18.12.2003
RT88000_C.Ref (2 sheets)	08.01.2004
EX_labelRT88.cdr	19.11.2003